



# Network Management & Monitoring

Measuring Delay with **smoke** ping



These materials are licensed under the Creative Commons Attribution-Noncommercial 3.0 Unported license  
(<http://creativecommons.org/licenses/by-nc/3.0/>)

# Introduction


- Based on RRDTool (the same author)
- Measures ICMP delay and can measure status of services such as HTTP, DNS, SMTP, SSH, LDAP, etc.
- Define ranges on statistics and generate alarms.
- Written in Perl for portability
- Easy to install harder to configure.

# Introduction: “Marketing”

- SmokePing keeps track of your network latency:
- Best of breed latency visualisation.
- Interactive graph explorer.
- Wide range of latency measurement plugins.
- Master/Slave System for distributed measurement.
- Highly configurable alerting system.
- Live Latency Charts with the most 'interesting' graphs.
- Free and OpenSource Software written in Perl written by Tobi Oetiker, the creator of MRTG and RRDtool



# The “Smoke” and the “Pings”




# How to Read Smokeping Graphs

- Smokeping sends multiple tests (pings), makes note of RTT, orders these and selects the median.
- The different values of RTT are shown graphically as lighter and darker shades of grey (the “smoke”). This conveys the idea of variable round trip times or *jitter*.
- The number of lost packets (if any) changes the color of the horizontal line across the graph.

# An Example

## African Network Operators Group



# What makes it tick!

**The following packages are needed or recommended:**

- **rrdtool** <http://oss.oetiker.ch/rrdtool/>
- **fping** <http://www.fping.com/>
- **echoping** <http://echoping.sourceforge.net/>
- **speedyCGI** <http://www.daemoninc.com/SpeedyCGI/>
- **Apache** <http://httpd.apache.org/>
- **Perl** <http://www.perl.org/>

# Smokeping: Installation


## Debian/Ubuntu:

- apt-get install smokeping
- Configure **/etc/smokeping/config.d/\***
- Change Smokeping's appearance here:
  - **/etc/smokeping/basepage.html**
- Restart the service:
  - **/etc/init.d/smokeping restart**
  - **/etc/init.d/smokeping reload**
  - **service smokeping restart/reload**

# Smokeping Installation


You will find Smokeping running here:

<http://pcN.ws.nsrc.org/cgi-bin/smokeping.cgi>




## Network Latency Grapher

Welcome to the SmokePing website of 'A poorly mantained site running Debian.'



## The most interesting destinations

### Top Standard Deviation



# Configuration

Smokeping configuration files in Ubuntu 10.04 include:

- /etc/smokeping/config.d/**Alerts**
- /etc/smokeping/config.d/**Database**
- /etc/smokeping/config.d/**General**
- /etc/smokeping/config.d/**pathnames**
- /etc/smokeping/config.d/**Presentation**
- /etc/smokeping/config.d/**Probes**
- /etc/smokeping/config.d/**Slaves**
- /etc/smokeping/config.d/**Targets**

Generally we spend most of our time in **Alerts, General, Probes and Targets.**

# Configuration: General

Update:

- owner → NOC
- contact → sysadm@localhost
- cgiurl → <http://localhost/cgi-bin/smokeping.cgi>
- mailhost → localhost
- syslogfacility → local5

```
*** General ***

@include /etc/smokeping/config.d/pathnames

# Please edit this to suit your installation
owner      = NOC
contact    = sysadm@localhost
cgiurl    = http://localhost/cgi-bin/smokeping.cgi
mailhost   = localhost
# specify this to get syslog logging
syslogfacility = local5
# each probe is now run in its own process
# disable this to revert to the old behaviour
# concurrentprobes = no
```

# Configuration: pathnames

Normally you should not need to update this file:

```
sendmail = /usr/sbin/sendmail
imgcache = /var/www/smokeping
imgurl   = ../smokeping
datadir  = /var/lib/smokeping
dyndir   = /var/lib/smokeping/__cgi
piddir   = /var/run/smokeping
smokemail = /etc/smokeping/smokemail
tmail    = /etc/smokeping/tmail
precreateperms = 2775
```

# Configuration: Presentation

- If you wish to customize Smokeping's look and feel you can edit the file /etc/smokeping/basepage.html
- To change how Smokeping presents graphs you can edit this file.

```
*** Presentation ***

template = /etc/smokeping/basepage.html

+ charts

menu = Charts
title = The most interesting destinations

++ stddev
sorter = StdDev(entries=>4)
title = Top Standard Deviation
menu = Std Deviation
format = Standard Deviation %f

++ max
sorter = Max(entries=>5)
title = Top Max Roundtrip Time
menu = by Max
format = Max Roundtrip Time %f seconds
```



File continues...

# Configuration: Alerts

- Very flexible. Create your own type of alert.
- Send alerts to ticket queues (RT using rt-mailgate, for instance)
- Somewhat complex to understand. Read the Alerts section of the Smokeping on-line configuration documentation:

[http://oss.oetiker.ch/smokeping/doc/smokeping\\_config.en.html](http://oss.oetiker.ch/smokeping/doc/smokeping_config.en.html)

```
*** Alerts ***
to = net@localhost
from = smokeping-alert@localhost

+bigloss
type = loss
# in percent
pattern = ==0%,==0%,==0%,==0%,>0%,>0%,>0%
comment = suddenly there is packet loss

+someloss
type = loss
# in percent
pattern = >0%,*12*,>0%,*12*,>0%
comment = loss 3 times in a row over 12 samples
```

Remember this goes to our RT queue.

Ubuntu-specific alert. The name is misleading as the alert is for any loss when there was none previously.

# Configuration: Database

- Defines how RRDtool will save data over time in Round Robin Archives (RRAs)
- By default each step is 300 seconds (5 minutes).
- You cannot trivially change the step setting once data has been collected.
- Details on each column in the Database section of the Smokeping on-line configuration documentation:

[http://oss.oetiker.ch/smokeping/doc/smokeping\\_config.en.html](http://oss.oetiker.ch/smokeping/doc/smokeping_config.en.html)

```
*** Database ***

step      = 300
pings     = 20

# consfn mrhb steps total

AVERAGE  0.5   1   1008
AVERAGE  0.5   12  4320
    MIN  0.5  12  4320
    MAX  0.5  12  4320
AVERAGE  0.5  144  720
    MAX  0.5  144  720
    MIN  0.5  144  720
```

**consfn:** Consolidation function  
**mrhb:** Percent of consolidated steps that must be known to warrant an entry.  
**steps:** How many steps to consolidate for each entry in the RRA.  
**total:** Total number of rows to keep in the RRA. Use rows and steps to determine time data will be saved.

12 steps = 12 x 300 sec = 1 hour  
4320 rows = 4320 hours = **180 days**

# Configuration: Probes

Smokeping is installed with a number of additional probes. They must, however, be specified here – including their default behaviors.

```
*** Probes ***

+ FPing
binary = /usr/sbin/fping

+ DNS
binary = /usr/bin/dig
lookup = nsr.org
pings = 5
step = 180

+ EchoPingHttp
binary = /usr/bin/echoping
ignore_cache = yes
pings = 5
url = /

+ EchoPingHttps
binary = /usr/bin/echoping
pings = 5
url = /

+ EchoPingSmtp
binary = /usr/bin/echoping
forks = 5
```



Use the DNS probe to verify that your services are available and responding as expected.

We use "nsr.org" as a sample hostname to lookup, to verify that the DNS works.

# Configuration: Slaves


Smokeping slave servers allow for multi-viewpoint monitoring and graphing of the same services, machines or links. Details here:

[http://oss.oetiker.ch/smokeping/doc/smokeping\\_master\\_slave.en.html](http://oss.oetiker.ch/smokeping/doc/smokeping_master_slave.en.html)

```
# *** Slaves ***
#
## make sure this is not world-readable!
## secrets=/etc/smokeping/slave-secrets
#
# +slave1
# display_name=slave_name
# color=0000ff
```

That is, you can externally monitor your network!

## Root Name Server System



# Configuration: Targets

- Where we spend most of our time configuring Smokeping.
- Web menu hierarchy defined by “+”, “++”, etc.
- Each new *probe* statement resets the default probe in use.
- Probes have defaults set in the Probes config file. These can be overridden in Targets.

```
*** Targets ***

probe = FPing

menu = Top
title = Network Latency Grapher

+ UO
menu = University of Oregon
title = UO webserver
host = www.uoregon.edu

+ NSRC
menu = NSRC
title = Network Startup Resource Center
host = www.nsrc.org

++ HTTP
menu = HTTP
probe = EchoPingHttp

+++ www
menu = NSRC web
host = www.nsrc.org

++ DNS
menu = DNS
probe = DNS

+++ dns
menu = NSRC DNS
host = www.nsrc.org
```

# **Default Probe: FPing**

- Probing for delay and jitter (**ping**)
- Performance and availability probe of a server.
- Entry belongs in the Targets file:

## **Latency**

### **+++ LocalMachine**

menu = localhost

title = Our local machine

host = localhost

alerts = startloss,someLOSS,bigLOSS,rttDetect


# Probe: DNS Check

In /etc/smokeping/config.d/Targets:


## DNS Latency

```
++ DNS  
probe = DNS  
menu = External DNS Check  
title = DNS Latency  
  
+++ nsrcc  
host = nsrcc.org
```

nsrcc.org



Last 3 Hours



Last 30 Hours


# MultiHost Graphing

Solve the issue of multiple hosts, one probe  
and missing differences in the Y axis (time):


[http://oss.oetiker.ch/smokeping/doc/smokeping\\_examples.en.html](http://oss.oetiker.ch/smokeping/doc/smokeping_examples.en.html)

## Sample configuration


```
+++MultihostRouters
menu = MutihostRouters
title = Combined Router Results
host = /Local/Routers/gw-rtr /Local/Routers/rtr1
      /Local/Routers/rtr2
```



# Example Multihost Graph



## Consolidated Ping Response Time



# More Types of Probes

**More information available here:**

<http://oss.oetiker.ch/smokeping/probe/index.en.html>

**A few more probes...**

- DNS            - CiscoRTTMonDNS            - Radius
- HTTP(S)      - CiscoRTTMonTcpCon        - IOS
- LDAP          - Tacacs                        - FPing6
- Whois         - WebProxyFilter                - Etc.
- SMTP          - WWW-Cache

# Summary

- Simple but powerful network monitoring
- Monitor machines, services and link health
- Distributed instances for external views – often a paid-for service
- Easy to configure and customize, but very extensible.
- Can use with Ticketing Systems to automate alerts
- Very small disk and CPU footprint

# References

**Smokeping website:**

<http://oss.oetiker.ch/smokeping/>

**Smokeping Demo:**

<http://oss.oetiker.ch/smokeping-demo/?target=Customers.OP>

**Good examples:**

[http://oss.oetiker.ch/smokeping/doc/smokeping\\_examples.en.html](http://oss.oetiker.ch/smokeping/doc/smokeping_examples.en.html)